

FACTS TO GUIDE DECISION MAKING FOR PARENTS

Hennie Fitzpatrick MD

drhennie55@ gmail.com

During a time in our culture when Americans accept nothing as fact, vaccines are considered “safe and effective” in the USA and a vast majority of parents accept this as fact without question. A very dangerous outcome of this “truth” is that parents are not given proper informed consent for vaccines.. Before your child is given routine shots, parents are presented with a fact sheet written by the drug company that made the vaccine. That is not informed consent. Informed consent is required prior to any medical procedure except vaccines .

The definition of informed consent is “a process for getting permission before conducting a health care intervention on a person or for disclosing personal information”

Here is a summary of factors which parents should know before deciding to immunize our children

1 Do No Harm is part of the oath every physician takes before becoming a physician

All of us hear about “anti- vaxxers’ as crazy disruptive parents who are willing to put society at risk by refusing or postponing vaccines.

In fact a growing number of parents are realizing that vaccines may cause more harm than benefit

2. Precautionary Principle:

Requires that no chemical medication or technology if it has the POTENTIAL to do harm. Currently, regulators allow thousands of tiny amounts of chemicals known to be potentially harmful to be used in medicines, vaccines, cleaning products, personal care products foods etc

Instead we need to protect human beings from potential harm by banning substances until they are proven safe. Instead in our world we do not ban a substance until it has caused enough harm to be proven as unsafe

3. Parental Choice: parents have the right to choose after being given unbiased accurate informed consent of the risks and benefits

4. Advocate for Responsible Vaccine Policy: there is no informed consent for vaccines:

Factors include:

In 1960 children were given 3 vaccines before age 2

In 1989 children were given 10 vaccines before age 2

In 2010 children are given 36 vaccines in the first 2 years of life

In 1960 regressive autism did not occur

In 1989 1;25000 risk of regressive autism

In 2010 1:34 risk of regressive autism

Regressive autism is considered a severe disability

In 2020 1:6 children have been diagnosed with significant developmental delay

We are told repeatedly by large authoritative medical researchers that vaccines do not cause autism. All chronic illness has multiple causes . These studies are statistically based and ignore the very real neurological damage to thousands of children born since 2000.

5.HARM FROM VACCINES

** Vaccines contain 38 additives which have never been tested for safety if injected

** A substance regarded as safe in a detergent, or pesticide or even as a food additive or for skin care cannot be considered safe for injection into an infant

** Vaccines contain the following ingredients KNOWN to be harmful: aluminum, thimerosal, human DNA, polysorbate80, glycosphate and many others

** In order to be effective vaccines MUST create inflammation in a child

INFANT IMMUNE AND NEUROLOGICAL SYSTEMS ARE NOT ESTABLISHED until at least 2 or 3 years

Babies develop in every way from birth onward

Infants do not have mature immune systems for the first 2 years

Babies are born with maternal antibodies that protect them from illness

Breastfeeding for at least 3 months (regardless if you supplement with formula) protects infants from infectious diseases

There is much discussion by vaccine manufacturers about the “ nuisance maternal antibodies “

** because of maternal antibodies vaccines require multiple doses to be effective

6.INFORMED CONSENT REQUIRES RISK VS BENEFIT ANALYSIS

In the USA in 2020 the risk of developing diphtheria , tetanus, Hepatitis B , Hepatitis A, bacterial pneumonia by Haemophilus or pneumococcus ZERO

NOTE: HiB vaccine is ONLY given to protect against ear infections

POLIO : 50% of unimmunized children HAVE IMMUNITY against polio by 5yrs old

ROTAVIRUS protects from 1 kind of diarrhea only before 16 weeks old

MEASLES MUMPS AND RUBELLA

These are benign infectious diseases in the US and there is strong evidence that allowing a child to have these diseases is important for the development of strong immune systems

RISK OF THE DISEASES we immunize against is nil

IS there actual BENEFIT from all of these vaccines given that the risk for the illness approaches zero

7.VACCINES PRESENT RISK

The US government began the Vaccine Injury Compensation program in 1989

CDC also protected the Vaccine Manufacturers cannot be held responsible for injuries from the vaccines they sell!

THERE IS THEREFORE NO INCENTIVE FOR VACCINES TO BECOME SAFER OR MORE EFFECTIVE

There have been 1200 deaths from vaccines and innumerable vaccine related injury to babies
1200 deaths translates to 60 deaths PER YEAR which is an average of 5 babies dying per month

1% of the vaccine injuries that occur are reported to the Vaccine Injury Program

1% of the injuries averages to 3 injuries per day in the US

The Vaccine Injury Program paid out \$3.5 billion (\$ 3,500,000,000) in damages from taxpayer money since 1990

VACCINES ARE A BIG BUSINESS

Vaccines generate \$60 billion a year and increase from \$170 million 20 years ago

American Academy of Pediatrics and the CDC are funded by vaccine industry
THIS FACT MAKES INFORMED CONSENT : vaccines have to be deemed “ safe and effective” because vaccines are a big business NOT A NECESSARY PROTECTION FOR INFANT HEALTH IN THIS COUNTRY

Very recent Cochrane Study on the safety of vaccines of 60 studies that confirmed inadequate assessment of safety of vaccines

PHYSICIANS ARE NOT TRAINED TO PROVIDE INFORMED CONSENT

Physician are trained to ignore possible adverse effects from vaccines

Physicians rarely report vaccine injury

Choose your physician carefully

- Parental Choice is still a national law
- Insist that your physician be willing to discuss risk vs benefit of vaccines
- FIND OUT BY RESPECTFULLY ASKING YOUR DOCTOR ABOUT INFORMATION PROVIDED HERE
- Insist that your physician do careful well child visits for children until they are 18 regardless of your choice on vaccines
- Your choice as a parent is to delay starting vaccines until your child immune system develops (at least a year)
- Spread out the vaccines : give them one at a time so that if a child reacts badly to a vaccine you will know which one!
-

INFORM YOURSELF, TRUST YOURSELF

Dr Fitzpatrick is available for consultations for parents and families